| 110            |       |        | V    |          | Ĵ  | 40   |           |   |  |  |
|----------------|-------|--------|------|----------|----|------|-----------|---|--|--|
| 1000           |       |        |      |          |    | B PI |           |   |  |  |
| was a standard | -     | BUG ST | 1    | PB       |    | B PI |           |   |  |  |
|                | B PB  | PB     | . re |          |    | B PI |           |   |  |  |
|                | B PB  | PB PE  |      |          |    | B PI |           |   |  |  |
|                | B PB  | PB PE  |      |          |    | B PI | B/AS      |   |  |  |
|                | B PB  | PB PE  | PB   |          |    | BP   |           |   |  |  |
|                | B PB  | PB PE  |      |          |    | B    | 1         |   |  |  |
|                | B PB  | PB PE  |      | PB       |    | F    | 2         |   |  |  |
|                | B PB  | PB PE  |      | PB       | PB | 135  |           |   |  |  |
|                | B PB  | PB PE  |      | PB<br>PB | PB | 3    |           |   |  |  |
|                | B PB  | PB PE  |      | PB       |    |      |           |   |  |  |
|                | B PB  | PB PE  |      | PF       |    |      |           |   |  |  |
|                | B PB  | PB PE  |      |          |    |      |           |   |  |  |
| 1000           | B PB  | PB PE  | PB   |          |    |      | William I | - |  |  |
| 400            | 'B PB | PB PE  |      | 1        |    |      |           |   |  |  |
| 100 a 400      | 'B PB | PB PE  |      |          |    |      |           |   |  |  |
|                | No.   | 1      |      |          |    |      |           |   |  |  |
|                |       | 1      |      |          |    |      |           |   |  |  |

T 25310

| Location                     | Works Required in area Highlighted in red boundary  |  |  |  |
|------------------------------|---|--|--|--|
| Hazlevale rd -Dingo Flat rd  | Burn - cool, mosaic style to reduce understory to 3t/ha, with protection of native flora and canopy |  |  |  |
| Treatment Type               |   |  |  |  |
| Burn                         |   |  |  |  |
| Size of Area/Length of Track |   |  |  |  |
| 13ha                         |   |  |  |  |

| CHECKLIST  |  |
|--|--|
| PROTECTED SITES - STATE and COMMONWEALTH                                 | ACTION   |
| Environmental Sensitive Areas (ESA's)                                    |  |
| Public Drinking Water Source   |  |
| Threatened & Declared Rare Flora (DRF)                                   |  |
| Rare and Endangered Fauna Habitat  |  |
| Carnaby Cockatoo Roosts  |  |
| State Heritage Sites   |  |
| Aboriginal Heritage Sites  |  |
| Threatened Ecological Communities/PEC's                                  |  |
| RAMSAR - Wetlands of International Importance                            |  |
| Migratory Birds Species protected under international agreements         |  |
| National & Commonwealth Heritage Places                                  |  |
| Enviromental Considerations  |  |
| Dieback / disease risk area (Phytophthora cinnamomi)                     |  |
| Adjacent to conservation estate:   |  |
| Nature Reserves/National Parks?  |  |
| Habitat connectivity and vegetation notes                                |  |
| Waterways - will planned works impact on water courses, wetlands, inlet, |  |
| riparian zone?   |  |
| South Coast significant wetlands   |  |
| Weeds (WONS, declared, invasive)   |  |
| Acid Sulphate Soil risk areas  |  |
| Tracks & Trails; recreational amenities                                  |  |
| Local Checks   |  |
| Traffic management needed  | Yes  |
| Community consultation   | Notified by letter and/or phone  |
| Utilities  | Contractors are required to assess for utilities including electricity, gas and telephone in the area. |